

AMC Filler Panel with Adjustable Air-flow Control – AMC996

AMC Filler Panel, Adjustable Air-flow



KEY FEATURES

- AMC.0 compliant
- Adjustable Air-flow Control
- Single or double module
- Available as compact-size, mid-size, full-size and extended-size
- μ TCA.0 and μ TCA.1 versions

Benefits of Choosing VadaTech

- Filler panel allowing the airflow baffle angle to be controlled
- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and system-level expertise in house
- AS9100 and ISO9001 certified company

The AMC996 is a filler panel for single or double module slots. The AMC996 has a knob to adjust the air flow depending on the air flow analysis.

SPECIFICATIONS

Architecture		
Physical	Dimensions	Single or double module Compact, mid, full and extended-size options Width 2.89 in. (73.5 mm) for single module, 5.85 in. (148.5 mm) for double module Depth 7.11 in. (180.6 mm) for single or double module
Type	Filler Panel	To prevent air flow through the front of the chassis
Standards		
AMC	Type	AMC.0
μTCA	Type	μTCA.0 and μTCA.1
Configuration		
Power	AMC996	0 W
Environmental	Temperature	Operating temperature: -50° to 85° C Storage Temperature: -70° to +95° C
Other		
MTFB	MIL Hand book 217-F @ TBD Hrs	
Certifications	Designed to meet FCC, CE and UL certifications where applicable	
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Warranty	Two (2) years	
Trademarks and Disclaimer	The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice	

AMC Filler Panel with Adjustable Air-flow Control –AMC996

ORDERING OPTIONS

AMC996 – ABC – 000 – 000

A = AMC Width

- 0 = Single module
- 1 = Double module

B = Front Panel Spec

- 0 = μ TCA.0
- 1 = μ TCA.1
- 2 = Reserved

C = Front Panel Size

- 1 = Compact-size
- 2 = Mid-size
- 3 = Full-size
- 4 = Extended-size (8 HP)

RELATED PRODUCTS



VT841 1U MicroTCA
Chassis



VT866 5U 40GbE
MicroTCA Chassis



VT899 7U MicroTCA
Cube Chassis

CONTACT US

VadaTech Corporate Office

198 N. Gibson Rd.
Henderson, NV 89014
Email: info@vadatech.com
Telephone: +1 702 896-3337
Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhui Street, Neihu District,
Taipei 114, Taiwan
Email: info@vadatech.com
Telephone: +886-2-2627-7655
Fax: +886-2-2627-7792

VadaTech European Sales Office

Ocean Village Innovation Centre, Ocean Way,
Ocean Village, Southampton, SO14 3JZ
Email: info@vadatech.com
Telephone: +44 2380 381982
Fax: +44 2380 381983